ELSEVIER

Hearing Research 137 (1999) 180–181

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 137

Ahroon, W.A., see Hamernik, R.P. (137) 127

Bautz, A., see Oukda, M. (137) 114
Berlin, C.I., see Morlet, T. (137) 179
Bian, Q., see Wang, S. (137) 1
Botta, L., see Zucca, G. (137) 8
Buizza, A., see Zucca, G. (137) 8

Cai, Z., see Wang, S. (137) 1
Cappaert, N.L.M., Klis, S.F.L., Muijser, H., de Groot, J.C.M.J., Kulig, B.M. and Smoorenburg, G.F.
The ototoxic effects of ethyl benzene in rats (137) 91
Chen, H., see Wang, S. (137) 1

Dallos, P., see Szönyi, M. (137) 29
de Groot, J.C.M.J., see Cappaert, N.L.M. (137) 91
Dong, Y., see Wang, S. (137) 1
Dournon, C., see Oukda, M. (137) 114
Duclaux, R., see Morlet, T. (137) 179

Eager, P.R., see Schwartz, I.R. (137) 77
Elidan, J., see Freeman, S. (137) 51
Evans, M.S., see Li, Y. (137) 15

Faingold, C.L., see Li, Y. (137) 15
Feng, Y., see Wang, S. (137) 1
Ferber, C., see Morlet, T. (137) 179
François, M., see Oukda, M. (137) 114
Freeman, S., Plotnik, M., Elidan, J. and Sohmer, H.
Development of short latency vestibular evoked potentials in the neonatal rat (137) 51
Friebe, A., see Langemann, U. (137) 68
Fukazawa, T., Ishida, K. and Murai, Y.
A micromechanical model of the cochlea with radial movement of the tectorial membrane (137) 59
Fuzessery, Z.M. and Hall, J.C.
Sound duration selectivity in the pallid bat inferior colliculus (137) 137

Ghanbaja, J., see Oukda, M. (137) 114
Giannoni, B., see Zucca, G. (137) 8
Goforth, L., see Morlet, T. (137) 179

Hall, J.C., see Fuzessery, Z.M. (137) 137
Hamann, I., see Langemann, U. (137) 68
Hamernik, R.P. and Ahroon, W.A.
Sound-induced priming of the chinchilla auditory system (137) 127
He, D.Z.Z., see Szönyi, M. (137) 29
Hefeneider, S.H., see Trune, D.R. (137) 160
Hefeneider, S.H., see Trune, D.R. (137) 167
Hood, L.J., see Morlet, T. (137) 179
Hu, C., see Wang, S. (137) 1

Ichimiya, I., see Yoshida, K. (137) 155
Ishida, K., see Fukazawa, T. (137) 59

Kempton, J.B., see Trune, D.R. (137) 160
Kempton, J.B., see Trune, D.R. (137) 167
Klis, S.F.L., see Cappaert, N.L.M. (137) 91
Klis, S.F.L., see Lohuis, P.J.F.M. (137) 103
Klop, W.M.C., see Lohuis, P.J.F.M. (137) 103
Kulig, B.M., see Cappaert, N.L.M. (137) 91

Langemann, U., Hamann, I. and Friebe, A.
A behavioral test of presbycusis in the bird auditory system (137) 68
Li, Y., Evans, M.S. and Faingold, C.L.
Synaptic response patterns of neurons in the cortex of rat inferior colliculus (137) 15
Lian, N., see Wang, S. (137) 1
Liu, Z., see Wang, S. (137) 1
Lohuis, P.J.F.M., Klis, S.F.L., Klop, W.M.C., van Emst, M.G. and Smoorenburg, G.F.
Signs of endolymphatic hydrops after perilymphatic perfusion of the guinea pig cochlea with cholera toxin; a pharmacological model of acute endolymphatic hydrops (137) 103

Membre, H., see Oukda, M. (137) 114
Mira, E., see Zucca, G. (137) 8
Mogi, G., see Yoshida, K. (137) 155
Morest, D.K.
Re: Spatial organization of the reciprocal connections between the cat dorsal and anteroventral cochlear nuclei. E.-Michael Ostapoff, D. Kent Morest and Kourosh Parham [Hearing Research 130 (1999) 75–93] (137) 178
Morlet, T., Goforth, L., Hood, L.J., Ferber, C., Duclaux, R. and Berlin, C.I.
Development of human cochlear active mechanism asymmetry: involvement of the medial olivocochlear system? [Hear. Res. 134 (1999) 153–162] (137) 179
Muijser, H., see Cappaert, N.L.M. (137) 91
Murai, Y., see Fukazawa, T. (137) 59

Nelson, S.A., see Whitlon, D.S. (137) 43

Oukda, M., Bautz, A., Membre, H., Ghanbaja, J., François, M. and Dournon, C.
Appearance and evolution of calcitic and aragonitic otoconia during *Pleurodeles waltl* development (137) 114

Perin, P., see Zucca, G. (137) 8
Plotnik, M., see Freeman, S. (137) 51

Ribári, O., see Szönyi, M. (137) 29

Schwartz, I.R. and Eager, P.R.
Glutamate receptor subunits in neuronal populations of the gerbil lateral superior olive (137) 77
Shen, J.-X., Xu, Z.-M. and Yao, Y.-D.
Evidence for columnar organization in the auditory cortex of the mouse (137) 174

Siegel, F.L., see Whitlon, D.S. (137) 43
Smoorenburg, G.F., see Cappaert, N.L.M. (137) 91
Smoorenburg, G.F., see Lohuis, P.J.F.M. (137) 103
Sohmer, H., see Freeman, S. (137) 51
Suzuki, M., see Yoshida, K. (137) 155
Szakaly, R., see Whitlon, D.S. (137) 43
Sziklai, I., see Szönyi, M. (137) 29
Szönyi, M., He, D.Z.Z., Ribári, O., Sziklai, I. and Dallos, P.
Cyclic GMP and outer hair cell electromotility (137) 29

Trune, D.R., Wobig, R.J., Kempton, J.B. and Hefeneider, S.H.
Steroid treatment improves cochlear function in the MRL.MpJ-*Fas*^{lpr} autoimmune mouse (137) 160
Trune, D.R., Wobig, R.J., Kempton, J.B. and Hefeneider, S.H.
Steroid treatment in young MRL.MpJ-*Fas*^{lpr} autoimmune mice prevents cochlear dysfunction (137) 167

Valli, P., see Zucca, G. (137) 8
Valli, S., see Zucca, G. (137) 8
van Emst, M.G., see Lohuis, P.J.F.M. (137) 103

Wang, S., Bian, Q., Liu, Z., Feng, Y., Lian, N., Chen, H., Hu, C., Dong, Y. and Cai, Z.
Capability of serum to convert streptomycin to cytotoxin in patients with aminoglycoside-induced hearing loss (137) 1
Whitlon, D.S., Wright, L.S., Nelson, S.A., Szakaly, R. and Siegel, F.L.
Maturation of cochlear glutathione-*S*-transferases correlates with the end of the sensitive period for ototoxicity (137) 43
Wobig, R.J., see Trune, D.R. (137) 160
Wobig, R.J., see Trune, D.R. (137) 167
Wright, L.S., see Whitlon, D.S. (137) 43

Xu, Z.-M., see Shen, J.-X. (137) 174

Yao, Y.-D., see Shen, J.-X. (137) 174
Yoshida, K., Ichimiya, I., Suzuki, M. and Mogi, G.
Effect of proinflammatory cytokines on cultured spiral ligament fibrocytes (137) 155

Zucca, G., Botta, L., Valli, S., Giannoni, B., Mira, E., Perin, P., Buizza, A. and Valli, P.
Effects of caloric stimuli on frog ampullar receptors (137) 8

ELSEVIER

Hearing Research 137 (1999) 182–185

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 137

Acute endolymphatic hydrops
Model; Cholera toxin; Adenylate cyclase; Summating potential; Cochlear homeostasis (Lohuis, P.J.F.M. (137) 103)

Adenylate cyclase
Model; Acute endolymphatic hydrops; Cholera toxin; Summating potential; Cochlear homeostasis (Lohuis, P.J.F.M. (137) 103)

Aging
Bird; European starling; Auditory threshold; Presbycusis (Langemann, U. (137) 68)

AMPA-preferring
Glutamate receptor subunits; Auditory system; Superior olive; Immunochemistry; Light microscopy; Electron microscopy (Schwartz, I.R. (137) 77)

Amphibian
Inner ear; Otoconium; Otolith; Aragonite; Calcite (Oukda, M. (137) 114)

Ampullar receptor
Vestibular system; Caloric stimulus; Convective theory; Temperature changes (Zucca, G. (137) 8)

Aragonite
Amphibian; Inner ear; Otoconium; Otolith; Calcite (Oukda, M. (137) 114)

Auditory
Development; Inner ear; Vestibular; Evoked potential; Rat (Freeman, S. (137) 51)

Auditory cortex
Mouse; Columnar organization (Shen, J.-X. (137) 174)

Auditory system
Glutamate receptor subunits; Superior olive; AMPA-preferring; Immunochemistry; Light microscopy; Electron microscopy (Schwartz, I.R. (137) 77)

Auditory threshold
Bird; European starling; Aging; Presbycusis (Langemann, U. (137) 68)

Autoimmune disease
Prednisolone; Autoimmune mouse; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 160)

Prednisolone; Autoimmune mouse; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 167)

Autoimmune mouse
Prednisolone; Autoimmune disease; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 160)

Prednisolone; Autoimmune disease; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 167)

Bicuculline
Inferior colliculus; Duration selectivity; Pallid bat; Gamma-aminobutyric acid; Synaptic integration (Fuzessery, Z.M. (137) 137)

Bird
European starling; Auditory threshold; Aging; Presbycusis (Langemann, U. (137) 68)

Calcite
Amphibian; Inner ear; Otoconium; Otolith; Aragonite (Oukda, M. (137) 114)

Calcium/phospholipid-dependent protein kinase
Electromotility; Outer hair cell; Phosphorylation; Cyclic guanosine monophosphate; 3′,5′-Cyclic GMP-dependent protein kinase; 3′,5′-Cyclic AMP-dependent protein kinase (Szönyi, M. (137) 29)

Caloric stimulus
Vestibular system; Ampullar receptor; Convective theory; Temperature changes (Zucca, G. (137) 8)

Chemokine
Mouse; Inner ear; Interleukin-1β; Tumor necrosis factor-α; Soluble intercellular adhesion molecule-1 (Yoshida, K. (137) 155)

Cholera toxin
Model; Acute endolymphatic hydrops; Adenylate cyclase; Summating potential; Cochlear homeostasis (Lohuis, P.J.F.M. (137) 103)

Cochlea
Glutathione-*S*-transferase; Development; Detoxification; Vestibular system; Ototoxicity (Whitlon, D.S. (137) 43)

Cochlear homeostasis
Model; Acute endolymphatic hydrops; Cholera toxin; Adenylate cyclase; Summating potential (Lohuis, P.J.F.M. (137) 103)

Cochlear model
Tectorial membrane; Micromechanics (Fukazawa, T. (137) 59)

Columnar organization
Mouse; Auditory cortex (Shen, J.-X. (137) 174)

Conditioning
Noise-induced hearing loss (NIHL); Priming; Toughening; Protection (Hamernik, R.P. (137) 127)

Convective theory
Vestibular system; Ampullar receptor; Caloric stimulus; Temperature changes (Zucca, G. (137) 8)

3′,5′-Cyclic AMP-dependent protein kinase
Electromotility; Outer hair cell; Phosphorylation; Cyclic guanosine monophosphate; 3′,5′-Cyclic GMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

3′,5′-Cyclic GMP-dependent protein kinase
Electromotility; Outer hair cell; Phosphorylation; Cyclic guanosine monophosphate; 3′,5′-Cyclic AMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

Cyclic guanosine monophosphate
Electromotility; Outer hair cell; Phosphorylation; 3′,5′-Cyclic GMP-dependent protein kinase; 3′,5′-Cyclic AMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

Detoxification
Cochlea; Glutathione-*S*-transferase; Development; Vestibular system; Ototoxicity (Whitlon, D.S. (137) 43)

Development
Cochlea; Glutathione-*S*-transferase; Detoxification; Vestibular system; Ototoxicity (Whitlon, D.S. (137) 43)

Inner ear; Vestibular; Auditory; Evoked potential; Rat (Freeman, S. (137) 51)

Duration selectivity
Inferior colliculus; Pallid bat; Gamma-aminobutyric acid; Bicuculline; Synaptic integration (Fuzessery, Z.M. (137) 137)

Electrocochleography
Rat; Ethyl benzene; Ototoxicity; Reflex modification audiometry; Histology (Cappaert, N.L.M. (137) 91)

Electromotility
Outer hair cell; Phosphorylation; Cyclic guanosine monophosphate; 3′,5′-Cyclic GMP-dependent protein kinase; 3′,5′-Cyclic AMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

Electron microscopy
Glutamate receptor subunits; Auditory system; Superior olive; AMPA-preferring; Immunochemistry; Light microscopy (Schwartz, I.R. (137) 77)

Ethyl benzene
Rat; Ototoxicity; Reflex modification audiometry; Electrocochleography; Histology (Cappaert, N.L.M. (137) 91)

European starling
Bird; Auditory threshold; Aging; Presbycusis (Langemann, U. (137) 68)

Evoked potential
Development; Inner ear; Vestibular; Auditory; Rat (Freeman, S. (137) 51)

Fas gene
Prednisolone; Autoimmune disease; Autoimmune mouse; Inner ear; Glucocorticoid (Trune, D.R. (137) 160)

Prednisolone; Autoimmune disease; Autoimmune mouse; Inner ear; Glucocorticoid (Trune, D.R. (137) 167)

Gamma-aminobutyric acid
Inferior colliculus; Duration selectivity; Pallid bat; Bicuculline; Synaptic integration (Fuzessery, Z.M. (137) 137)

Glucocorticoid
Prednisolone; Autoimmune disease; Autoimmune mouse; *Fas* gene; Inner ear (Trune, D.R. (137) 160)

Prednisolone; Autoimmune disease; Autoimmune mouse; *Fas* gene; Inner ear (Trune, D.R. (137) 167)

Glutamate receptor subunits
Auditory system; Superior olive; AMPA-preferring; Immunochemistry; Light microscopy; Electron microscopy (Schwartz, I.R. (137) 77)

Glutathione-*S*-transferase
Cochlea; Development; Detoxification; Vestibular system; Ototoxicity (Whitlon, D.S. (137) 43)

Hearing loss
Outer hair cell; Serum; Protein; Streptomycin; Metabolite (Wang, S. (137) 1)

Histology
Rat; Ethyl benzene; Ototoxicity; Reflex modification audiometry; Electrocochleography (Cappaert, N.L.M. (137) 91)

Immunochemistry
Glutamate receptor subunits; Auditory system; Superior olive; AMPA-preferring; Light microscopy; Electron microscopy (Schwartz, I.R. (137) 77)

Inferior colliculus
Duration selectivity; Pallid bat; Gamma-aminobutyric acid; Bicuculline; Synaptic integration (Fuzessery, Z.M. (137) 137)

Neuron; Slice; Synaptic response (Li, Y. (137) 15)

Inner ear
Amphibian; Otoconium; Otolith; Aragonite; Calcite (Oukda, M. (137) 114)

Mouse; Interleukin-1β; Tumor necrosis factor-α; Chemokine; Soluble intercellular adhesion molecule-1 (Yoshida, K. (137) 155)

Prednisolone; Autoimmune disease; Autoimmune mouse; *Fas* gene; Glucocorticoid (Trune, D.R. (137) 160)

Prednisolone; Autoimmune disease; Autoimmune mouse; *Fas* gene; Glucocorticoid (Trune, D.R. (137) 167)

Development; Vestibular; Auditory; Evoked potential; Rat (Freeman, S. (137) 51)

Interleukin-1β
Mouse; Inner ear; Tumor necrosis factor-α; Chemokine; Soluble intercellular adhesion molecule-1 (Yoshida, K. (137) 155)

Light microscopy
Glutamate receptor subunits; Auditory system; Superior olive; AMPA-preferring; Immunochemistry; Electron microscopy (Schwartz, I.R. (137) 77)

Metabolite
Hearing loss; Outer hair cell; Serum; Protein; Streptomycin (Wang, S. (137) 1)

Micromechanics
Tectorial membrane; Cochlear model (Fukazawa, T. (137) 59)

Model
Acute endolymphatic hydrops; Cholera toxin; Adenylate cyclase; Summating potential; Cochlear homeostasis (Lohuis, P.J.F.M. (137) 103)

Mouse
Inner ear; Interleukin-1β; Tumor necrosis factor-α; Chemokine; Soluble intercellular adhesion molecule-1 (Yoshida, K. (137) 155)

Auditory cortex; Columnar organization (Shen, J.-X. (137) 174)

Neuron
Inferior colliculus; Slice; Synaptic response (Li, Y. (137) 15)

Noise-induced hearing loss (NIHL)
Priming; Conditioning; Toughening; Protection (Hamernik, R.P. (137) 127)

Otoconium
Amphibian; Inner ear; Otolith; Aragonite; Calcite (Oukda, M. (137) 114)

Otolith
Amphibian; Inner ear; Otoconium; Aragonite; Calcite (Oukda, M. (137) 114)

Ototoxicity
Cochlea; Glutathione-*S*-transferase; Development; Detoxification; Vestibular system (Whitlon, D.S. (137) 43)

Rat; Ethyl benzene; Reflex modification audiometry; Electrocochleography; Histology (Cappaert, N.L.M. (137) 91)

Outer hair cell
Hearing loss; Serum; Protein; Streptomycin; Metabolite (Wang, S. (137) 1)

Electromotility; Phosphorylation; Cyclic guanosine monophosphate; 3′,5′-Cyclic GMP-dependent protein kinase; 3′,5′-Cyclic AMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

Pallid bat
Inferior colliculus; Duration selectivity; Gamma-aminobutyric acid; Bicuculline; Synaptic integration (Fuzessery, Z.M. (137) 137)

Phosphorylation
Electromotility; Outer hair cell; Cyclic guanosine monophosphate; 3′,5′-Cyclic GMP-dependent protein kinase; 3′,5′-Cyclic AMP-dependent protein kinase; Calcium/phospholipid-dependent protein kinase (Szönyi, M. (137) 29)

Prednisolone
Autoimmune disease; Autoimmune mouse; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 160)

Autoimmune disease; Autoimmune mouse; *Fas* gene; Inner ear; Glucocorticoid (Trune, D.R. (137) 167)

Presbycusis
Bird; European starling; Auditory threshold; Aging (Langemann, U. (137) 68)

Priming
Noise-induced hearing loss (NIHL); Conditioning; Toughening; Protection (Hamernik, R.P. (137) 127)

Protection
Noise-induced hearing loss (NIHL); Priming; Conditioning; Toughening (Hamernik, R.P. (137) 127)

Protein
Hearing loss; Outer hair cell; Serum; Streptomycin; Metabolite (Wang, S. (137) 1)

Rat
Development; Inner ear; Vestibular; Auditory; Evoked potential (Freeman, S. (137) 51)

Ethyl benzene; Ototoxicity; Reflex modification audiometry; Electrocochleography; Histology (Cappaert, N.L.M. (137) 91)

Reflex modification audiometry
Rat; Ethyl benzene; Ototoxicity; Electrocochleography; Histology (Cappaert, N.L.M. (137) 91)

Serum
Hearing loss; Outer hair cell; Protein; Streptomycin; Metabolite (Wang, S. (137) 1)

Slice
Inferior colliculus; Neuron; Synaptic response (Li, Y. (137) 15)

Soluble intercellular adhesion molecule-1
Mouse; Inner ear; Interleukin-1β; Tumor necrosis factor-α; Chemokine (Yoshida, K. (137) 155)

Streptomycin
Hearing loss; Outer hair cell; Serum; Protein; Metabolite (Wang, S. (137) 1)

Summating potential
Model; Acute endolymphatic hydrops; Cholera toxin; Adenylate cyclase; Cochlear homeostasis (Lohuis, P.J.F.M. (137) 103)

Superior olive
Glutamate receptor subunits; Auditory system; AMPA-preferring; Immunochemistry; Light microscopy; Electron microscopy (Schwartz, I.R. (137) 77)

Synaptic integration
Inferior colliculus; Duration selectivity; Pallid bat; Gamma-aminobutyric acid; Bicuculline (Fuzessery, Z.M. (137) 137)

Synaptic response
Inferior colliculus; Neuron; Slice (Li, Y. (137) 15)

Tectorial membrane
Cochlear model; Micromechanics (Fukazawa, T. (137) 59)

Temperature changes
Vestibular system; Ampullar receptor; Caloric stimulus; Convective theory (Zucca, G. (137) 8)

Toughening
Noise-induced hearing loss (NIHL); Priming; Conditioning; Protection (Hamernik, R.P. (137) 127)

Tumor necrosis factor-α
Mouse; Inner ear; Interleukin-1β; Chemokine; Soluble intercellular adhesion molecule-1 (Yoshida, K. (137) 155)

Vestibular
Development; Inner ear; Auditory; Evoked potential; Rat (Freeman, S. (137) 51)

Vestibular system
Cochlea; Glutathione-*S*-transferase; Development; Detoxification; Ototoxicity (Whitlon, D.S. (137) 43)

Ampullar receptor; Caloric stimulus; Convective theory; Temperature changes (Zucca, G. (137) 8)